


U of Iowa-4 Ad5CMVeGFP Plasmid: G0167 pacAd5CMVeGFP SV40pA



Viral DNA size 34,648 bp




Iowa-4 Ad5CMVeGFP Viral DNA
34,648 bp

Plasmid Features: 6928bp

<u>Coordinates</u>	<u>Feature</u>
Ad5:	16-368 and 2153-4617
mCMV:	385-907
eGFP	992-1711
SV40:	1003-1470
Ampicillin:	6007-5147 (Complimentary)

Antibiotic Resistance: Ampicillin.
Backbone: pBR322

Note: To check the integrity of the Ad5 plasmid, perform single restriction enzyme digestions with NheI or PacI, BssHII, SacII and XmaI.



AATTAATTAAGCTAGCATCATCAATAATATACCTTATTTTGGATTGAAGCCAATATGAT
AATGAGGGGGTGGAGTTTGTGACGTGGCGCGGGGCGTGGGAACGGGGCGGGTGACGT
AGTAGTGTGGCGGAAGTGTGATGTTGCAAGTGTGGCGGAACACATGTAAGCGACGGAT
GTGGCAAAAGTGACGTTTTTGGTGTGCGCCGGTGTACACAGGAAGTGACAATTTTCGC
GCGTTTTAGGCGGATGTTGTAGTAAATTTGGGCGTAACCGAGTAAGATTTGGCCATT
TTCGCGGAAAACCTGAATAAGAGGAAGTAAAATCTGAATAATTTTGTGTTACTCATAGC
GCGTAATATTTGTCTAGGGAGATCAGCCTGCAGGTCGTTACATAACTTACGGTAAATG
GCCCCCTGGCTGACCGCCCAACGACCCCCGCCATTGACGTCAATAATGACGTATGT
TCCCATAGTAACGCCAATAGGGACTTTCATTGACGTCAATGGGTGGAGTATTTACGGT
AACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGAC
GTCAATGACGGTAAATGGCCCGCTGGCATTATGCCAGTACATGACCTTATGGGACT
TTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGTATGCGGTTT
TGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCC
ACCCATTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAA
TGTCGTAAACAACCTCCGCCCATTTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGG
TCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATGGTACCGTTTAAACTCGAGCTC
AAGCTTCGAATTCTGCAGTCGACGGTACCGCGGGCCCGGGATCCACCGGTCGCCACCA
TGGTGAGCAAGGGCGAGGAGCTGTTCAACGGGGTGGTGCCCATCCTGGTCGAGCTGG
ACGGCGACGTAAACGGCCACAAGTTCAGCGTGTCCGGCGAGGGCGAGGGCGATGCCA
CCTACGGCAAGCTGACCCTGAAGTTCATCTGCACCACCGGCAAGCTGCCCGTGCCCTG
GCCACCCCTCGTGACCACCTGACCTACGGCGTGCAGTGCTTCAGCCGCTACCCCGAC
CACATGAAGCAGCACGACTTCTTCAAGTCCGCCATGCCCGAAGGCTACGTCCAGGAGC
GCACCATCTTCTTCAAGGACGACGGCAACTACAAGACCCGCGCCGAGGTGAAGTTCGA
GGGCGACACCCTGGTGAACCGCATCGAGCTGAAGGGCATCGACTTCAAGGAGGACGG
CAACATCCTGGGGCACAAGCTGGAGTACAATAACAACAGCCACAACGTCTATATCATG
GCCGACAAGCAGAAGAACGGCATCAAGGTGAACTTCAAGATCCGCCACAACATCGAGG
ACGGCAGCGTGCAGCTCGCCGACCACTACCAGCAGAACACCCCATCGGCGACGGCCC
CGTGCTGCTGCCCGACAACCACTACCTGAGCACCCAGTCCGCCCTGAGCAAAGACCCC
AACGAGAAGCGCGATCACATGGTCTGCTGGAGTTCGTGACCGCCGCGGGGATCACTC
TCGGCATGGACGAGCTGTACAAGTAAAGCGGCCGCCACAGCGGGGAGATCCAGACAT
GATAAGATACATTGATGAGTTTGGACAAACCACAATAAGATGCAGTGAAAAAATGC
TTTATTTGTGAAAATTTGTGATGCTATTGCTTTATTTGTAACCATTATAAGCTGCAATAAA
CAAGTTAACAACAACAATTGCATTCATTTTATGTTTCAGGTTTCAAGGGGAGGTGTGGGA
GGTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTATGGCTGATTATGATCCGGCTG
CCTCGCGCGTTTCGGTGTGACGGTGAACCTCTGACACATGCAGCTCCCGGAGACG
GTCACAGCTTGTCTGTAAGCGGATGCCGGGAGCAGACAAGCCCGTCAGGGCGCGTCA
GCGGGTGTGGCGGGTGTGCGGGCGCAGCCATGAGGTCGACTCTAGTCCCGCGGGT
GCAGATCTGGAAGGTGCTGAGGTACGATGAGACCCGCACCAGGTGACAGACCCTGCGA
GTGTGGCGGTAAACATATTAGGAACCAGCCTGTGATGCTGGATGTGACCGAGGAGCTG
AGGCCCGATCACTTGGTGTGCTGGCCTGCACCCGCGCTGAGTTTGGCTCTAGCGATGAAG
ATACAGATTGAGGTAAGTAAATGTGTGGGCGTGGCTTAAAGGGTGGGAAAGAATATATA
AGGTGGGGGTCTTATGTAGTTTTGTATCTGTTTTTGCAGCAGCCGCCGCCCATGAGC
ACCAACTCGTTTGTGGAAGCATTGTGAGCTCATATTTGACAACGCGCATGCCCCCATG
GGCCGGGGTGCCTCAGAATGTGATGGGCTCCAGCATTGATGGTCCGCCCGTCTGCCC
GCAAACCTACTACCTTGACCTACGAGACCGTGTCTGGAACGCGGTTGGAGACTGCAG
CCTCCGCCCGCTTCAGCCGCTGCAGCCACCGCCCGCGGGATTGTGACTGACTTTGC
TTTCTGAGCCCGCTTGCAAGCAGTGCAGCTTCCCGTTCATCCGCCCGCGATGACAAG
TTGACGGCTCTTTTGGCACAATTGGATTCTTTGACCCGGGAACCTAATGTCGTTTCTCA
GCAGCTGTTGGATCTGCGCCAGCAGGTTTCTGCCCTGAAGGCTTCTCCCTCCCAAT

GCGGTTTAAACATAAATAAAAAACCAGACTCTGTTTGGATTTGGATCAAGCAAGTGTC
TTGCTGTCTTTATTTAGGGGTTTTGCGCGCGCGGTAGGCCCGGGACCAGCGGTCTCGG
TCGTTGAGGGTCTGTGTATTTTTTCCAGGACGTGGTAAAGGTGACTCTGGATGTTTCAG
ATACATGGGCATAAGCCCGTCTCTGGGGTGGAGGTAGCACCACTGCAGAGCTTCATGC
TGCGGGGTGGTGTGTAGATGATCCAGTCGTAGCAGGAGCGCTGGGCGTGGTGCCTAA
AAATGTCTTTCAGTAGCAAGCTGATTGCCAGGGGCAGGCCCTTGGTGTAAAGTGTTTAC
AAAGCGGTTAAGCTGGGATGGGTGCATACGTGGGGATATGAGATGCATCTTGGACTGT
ATTTTTAGGTTGGCTATGTTCCCAGCCATATCCCTCCGGGGATTCATGTTGTGCAGAAC
CACCAGCACAGTGTATCCGGTGCACCTGGGAAATTTGTCATGTAGCTTAGAAGGAAAT
GCGTGGAAGAACTTGGAGACGCCCTTGTGACCTCCAAGATTTTCCATGCATTCGTCCAT
AATGATGGCAATGGGCCACGGGCGGCGGCCTGGGCGAAGATATTTCTGGGATCACTA
ACGTCATAGTTGTGTTCCAGGATGAGATCGTCATAGGCCATTTTTACAAAGCGCGGGC
GGAGGGTGCCAGACTGCGGTATAATGGTTCATCCGGCCCAGGGGCGTAGTTACCTC
ACAGATTTGCATTTCCCACGCTTTGAGTTCAGATGGGGGGATCATGTCTACCTGCGGG
GCGATGAAGAAAACGGTTTTCCGGGGTAGGGGAGATCAGCTGGGAAGAAAGCAGGTTT
CTGAGCAGCTGCGACTTACCGCAGCCGGTGGGCCCGTAAATCACACCTATTACCGGCT
GCAACTGGTAGTTAAGAGAGCTGCAGCTGCCGTCATCCCTGAGCAGGGGGGGCCACTTC
GTTAAGCATGTCCCTGACTCGCATGTTTTCCCTGACCAAATCCGCCAGAAGGCGCTCG
CCGCCAGCGATAGCAGTTCTTGCAAGGAAGCAAAGTTTTTCAACGGTTTGAGACCGT
CCGCCGTAGGCATGCTTTTTGAGCGTTTGACCAAGCAGTTCCAGGCGGTCCACAGCTC
GGTCACCTGCTCTACGGCATCTCGATCCAGCATATCTCCTCGTTTTGCGGGGTGGGGC
GGCTTTCGCTGTACGGCAGTAGTCGGTGTCTCGTCCAGACGGGCCAGGGTCATGTCTTT
CCACGGGCGCAGGGTCCTCGTCAGCGTAGTCTGGGTCACGGTGAAGGGGTGCGCTCC
GGGCTGCGCGCTGGCCAGGGTGCCTTGAGGCTGGTCCCTGCTGGTGTGAAGCGCTG
CCGGTCTTCGCCCTGCGCGTCCGCCAGGTAGCATTGACCATGGTGTATAGTCCAGC
CCCTCCGCGGCGTGGCCCTTGGCGCGCAGCTTGCCCTTGGAGGAGGCGCCGCACGAG
GGGCAGTGCAGACTTTTGAGGGCGTAGAGCTTGGGCGCGAGAAATACCGATTCCGGG
GAGTAGGCATCCGCGCCCGCAGGCCCGCAGACGGTCTCGCATTCCACGAGCCAGGTG
AGCTCTGGCCGTTCCGGGTCAAAAACCAGGTTTCCCCCATGCTTTTTGATGCGTTTTCTT
ACCTCTGGTTTTCCATGAGCCGGTGTCCACGCTCGGTGACGAAAAGGCTGTCCGTGTCC
CCGTATACAGACTTGAGAGGCCTGTCTCGACCGATGCCCTTGAAGGCCTTCAACCCA
GTCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCCGCGCACTTATGACTGTCT
TCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTGGGTCATTTTCGGCGA
GGACCGCTTTCGCTGGAGCGCGACGATGATCGGCCCTGTGCTTGGCGTATTCGGAATC
TTGCACGCCCTCGCTCAAGCCTTCGTCACTGGTCCCGCCACCAAACGTTTCGGCGAGA
AGCAGGCCATTATCGCCGGCATGGCGGCCGACGCGCTGGGCTACGTCTTGTGCGGTT
CGCGACGCGAGGCTGGATGGCCTTCCCCATTATGATTCTTCTCGCTTCCGGCGGCATC
GGGATGCCCGCGTTGCAGGCCATGCTGTCCAGGCAGGTAGATGACGACCATCAGGGA
CAGCTTCAAGGCCAGCAAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTT
TCCATAGGCTCCGCCCCCTGACGAGCATCACAAAATCGACGCTCAAGTCAGAGGTG
GCGAAACCCGACAGGACTATAAAGATAACCAGGCGTTTTCCCCCTGGAAGCTCCCTCGTG
CGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGG
AAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTTT
GCTCCAAGCTGGGCTGTGTGCACGAACCCCCGTTTACGCCGACCGCTGCGCCTTATC
CGGTAACATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCA
GCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGA
AGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCT
GAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACC
GCTGGTAGCGGTGGTTTTTTTTGTTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGAT
CTCAAGAAGATCCTTTGATCTTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCA
CGTTAAGGGATTTTGGTTCATGAGATTATCAAAAAGGATCTTACCTAGATCCTTTTAA

**TTAAAAATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTT
ACCAATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATA
GTTGCCTGACTCCCCGTCGTGTAGATAACTACGATACGGGAGGGCTTACCATCTGGCC
CCAGTGCTGCAATGATACCGCGAGACCCACGCTCACGGGCTCCAGATTTATCAGCAAT
AAACCAGCCAGCCGGAAGGGCCGAGCGCAGAAGTGCTCTGCAACTTTATCCGCCTCC
ATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAGTAGTTCGCCAGTTAATAGTTT
GCGCAACGTTGTTGCCATTGCTGCAGGCATCGTGGTGTACGCTCGTCGTTTGGTATG
GCTTCATTCAGCTCCGGTCCCAACGATCAAGGCGAGTTACATGATCCCCCATGTTGTG
CAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATCGTTGTCAGAAGTAAGTTGGCCGCA
GTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATGCCATCCGT
AAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGC
GGCGACCGAGTTGCTCTTGCCCGGCGTCAACACGGGATAATACCGCGCCACATAGCAG
AACTTTAAAAGTGCTCATCATTGGAAAACGTTCTTCGGGGCGAAAACCTCTCAAGGATCT
TACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCA
TCTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAA
AAAAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATAT
TATTGAAGCATTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTA
GAAAAATAAACAAATAGGGGTTCCGCGCACTTTTCGGGGAAATGTGCCACCTGACGTC
TAAGAAACCATTATTATCATGACATTAACCTATAAAAATAGGCGTATCACGAGGCCCTT
TCGTCTTC**

Vector Bio-safety Information

At the University of Iowa, all varieties of viral vectors produced at the Viral Vector Core are required to be handled at Biosafety Level 2 (BSL2). In animal studies, adenoviral vectors require ABL2 containment. Please check with your institution's Biosafety Officer to confirm local requirements

Adenovirus Background:

Adenoviruses are very important tool in basic research. They are used to identify proteins role in different biological processes both *in vivo* and *in vitro*. Virus construction is performed using the RapAd™ System developed by the University of Iowa GTVC (For description, refer to the article "[A simple method for the rapid generation of recombinant adenovirus vectors](#)" published in [Gene Therapy 7:1034-1038, 2000](#)).


Adenovirus vectors prepared in the core are E1 and E3 deleted. They have a total E1a deletion (*m.u. 1.4 to 4.5) plus a partial E1b deletion (*m.u. 4.7 to 9.2). These deletions are what make the vector replication deficient. They also have a partial E3 deletion, 720bp for the sub360 backbone, a 1.6Kb deletion for the dl309 backbone and a 3.1Kb deletion for the total E3 deleted backbone.

*m.u = Map units (1 m.u = 360bp)

Characteristics:

- Episomal gene expression.
- Infects dividing and non-dividing cells.
- Transient high-level protein expression.
- Accommodates inserts of up to 7.5kb. Larger inserts can be added, provided that an equivalent part of the viral genome has been properly deleted.
- High viral titer can be produced, 1E+10 to 5E+10pfu/ml (1E+12pt/ml) to 8E+10 to 1E+11/ml (1E+13pt/ml).

Adenovirus Construction RapAd™ System



Disadvantages and adverse effects:

- Elicits host immune response, thus depleting the number of transduced cells *in-vivo*.
- Viral particles can be neutralized by the host immune response.
- Short-term expression of the transgene due to lack of integration into the host genome.

Recombination:

The recombinant adenoviruses can revert to wild type during virus production, thus packaging replication competent particles (RCA). For this reason, each new lot produced at the core is tested for the presence of RCA by immuno-staining.

References:

- **RapAd™ System:** Anderson RD, Haskell RE, Xia H, Roessler BJ, Davidson BL. *"A simple method for the rapid generation of recombinant adenovirus vectors"*. Gene Ther. 2000 Jun;7(12):1034-8
- **A195 Buffer:** [Evans RK](#), [Nawrocki DK](#), [Isopi LA](#), [Williams DM](#), [Casimiro DR](#), [Chin S](#), [Chen M](#), [Zhu DM](#), [Shiver JW](#), [Volkin DB](#). *Development of stable liquid formulations for adenovirus-based vaccines*. [J Pharm Sci](#). 2004 Oct;93(10):2458-7

Contact Information:**Viral Vector Core**

University of Iowa
500 Newton Road
221 Eckstein Medical Research Building
Iowa City, IA 52242
Tel: (319) 335-6726
vectors@uiowa.edu

Specific Information on VVC-U of Iowa-4 Ad5CMVeGFP vector and plasmid G0167 pAd5CMVeGFPSV40pA**Background on Virus production**

The virus was made with our pacAd5(9.2-100)sub360 viral backbone. This backbone has a fully deleted E1a protein, a partially deleted E1b protein, and a partially deleted E3 protein to make the virus replication deficient. All of our Ad5CMVCre vector preparations are purified by double CsCl protocol and dialyzed and stored in our A-195 buffer. All preparations are titered on HEK 293 cells using the Clontech Adeno-X titer kits and also tested for replication competent particles (RCA).

Bacterial Backbone:

The bacterial backbone is derived from pBR322 plasmid.

Antibiotic Resistance:

The adenovirus plasmids are ampicillin resistant. We recommend using an ampicillin concentration of 100ug/ml of media.

E. coli Competent Cell Recommendations:

We recommend using DH5a cells to grow the adenovirus plasmids.