


# U of Iowa-5 Ad5CMVCre Plasmid: G0166 pAd5CMVCreMT1pA



## Viral DNA 36,703 bp



Iowa-5 Ad5CMVCre Viral DNA  
36,703 bp

MT1pA; mouse metallothionein-1 poly(A)

Cre; P1 bacteriophage

CMV promoter; human cytomegalovirus (CMV)

CMV enhancer; human cytomegalovirus (CMV)

SV40 poly(A); Simian Virus 40

OVERLAP w E3delRSV BB; human respiratory syncytial virus

OVERLAP E3 RSVBB; human respiratory syncytial virus

### Plasmid Features: 8987bp

<u>Coordinates</u>	<u>Feature</u>
1-2320	pBR322
204-1064	Beta-lactamase (AmpicillinR)
2321-4781	Ad5wtm.u.9.2-16
5342-5925	CMV Promoter
6066-7097	Cre Recombinase
7405-8607	Mt1pA

**Antibiotic Resistance:** Ampicillin

**Backbone:** pBR322

**Note:** To check the integrity of the Ad5 plasmid, perform single restriction enzyme digestions with NheI, BssHII, SacII and XmaI.



GAAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTATGATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATG  
 TCGCGGAACCCCTATTTGTTTATTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCTGATAAATGCTTCAATAATATTGAAAA  
 AGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATCCCTTTTTGCGGCATTTTGCTTCCCTGTTTTGCTCACCCAGAAACGCTGGTGA  
 AGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAG  
 AACGTTTTCAATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTGTGACGCCGGCAAGAGCAACTCGGTGCGCCGATACA  
 CTATTCTCAGAATGACTTGGTTGAGTACTACCAGTACACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAAC  
 CATGAGTGATAAACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTGACAACATGGGGGATCATGTAAC  
 TCGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCAGATGCCTGCAGCAATGGCAACAACGTTGCGCA  
 AACTATTAAGTGGCGAACTACTTACTAGCTTCCCGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGG  
 CCCTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCT  
 CCCGATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATT  
 GGTAAGTGTGACACCAAGTTTACTCATATATACTTTAGATTGATTTAAAACCTTCAATTTTAAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAATC  
 TCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCGTTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGC  
 GTAATCTGCTGCTTCAAACAAAAAACCACCGCTACCAGCGGTGGTTTGTGGCCGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAAGTGGCT  
 TCAGCAGAGCGCAGATACCAAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCCTACATACTCGCTCT  
 GCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGT  
 GGGCTGAACGGGGGTTTCTGTGACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAAGCGC  
 ACGCTTCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCCGAACAGGAGAGCGCACGAGGGGAGCTTCCAGGGGGAAAACGC  
 CTGGTATCTTTATAGTCTGTCGGTTTTGCGCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGAAAAACGCC  
 AGCAACGCGGCCCTTTTTACGTTTCTGGCCTTTTGTGGCCTTGAAGCTGTCCCTGATGGTCTGTCATCTACCTGCCTGGACAGCATGGCCTGCAACG  
 CGGGCATCCCGATGCCGCCGAAGCGAGAAGAATCATAATGGGGAAGGCCATCCAGCCTCGCGTCGCAACGCCAGCAAGACGTAGCCAGCGC  
 GTCGGCCGCCATGCCGGCGATAATGGCCTGCTTCTCGCCGAAACGTTTGGTGGCGGGACCAAGTACGAAGGCTTGGAGCGAGGGCGTGAAGATT  
 CCGAATACCGCAAGCGACAGGCCGATCATCGTCGCGCTCCAGCGAAAGCGGTCTCGCCGAAAATGACCCAGAGCGCTGCCGGCACCTGTCTAC

GAGTTGCATGATAAAGAAGACAGTCATAAGTGCGGCGACGATAGTCATGCCCCGCGCCACCAGGAGGAGCTGACTGGGTTGAAGGCTCTCAAG  
GGCATCGGTCGAGGACAGGCTCTCAAGTCTGTATACGGGGACACGGACAGCCTTTTCGTCACCGAGCGTGGACACCGGCTCATGGAAACCAGAG  
GTAAGAAACGCATCAAAAAGCATGGGGGAAACCTGGTTTTGACCCGAACGGCCAGAGCTCACCTGGCTCGTGGAAATGCGAGACCGTCTGCGGG  
GCCTGCGGCGCGGATGCCTACTCCCCGAATCGGTATTTCTCGCGCCCAAGCTCTACGCCCTCAAAAAGTCTGCACTGCCCTCGTGCGGCGCCTCT  
CCAAGGGCAAGCTGCGCGCCAAGGGCCACGCCGCGGAGGGGCTGGACTATGACACCATGGTCAAATGCTACCTGGCCGACGCGCAGGGCGAAG  
ACCGGCAGCGCTTACGACACCAGCAGGACCAGCCTCAAGCGCACCTGGCCAGCGCGCAGCCCGGAGCGCACCCCTTACCCTGACCCAGACTACG  
CTGACGAGGACCCTGCGCCCGTGGAAAGACATGACCCTGGCCCGTCTGGACGAGCACCAGCTACTGCCGTACAGCGAAAAGCCGCCCAACCCGCG  
AAACGAGGAGATATGCTGGATCGAGATGCCGTAGAGCAGGTGACCGAGCTGTGGGACCCTGGAAGTCTGGTCAAACGCTCAAAAAGCATGC  
CTACGGCGGACGGTCTCAAACCGTTGAAAACTTTGCTTCTTCAAGAACTGCTATCGCTGGGCGGCGAGCGCTTCTGGCGGATTTGGTCAGGG  
AAAACATGCGAGTCAGGGACATGCTTAACGAAGTGGCCCCCTGCTCAGGGATGACGGCAGCTGCAGCTCTCTTAACTACCAGTTGCAgCCGGTAA  
TAGGTGTGATTTACGGGGCCACCAGCTGCGGTAAGTCGACAGCTGCTCAGGAACCTGCTTTCTCCAGCTGATCTCCCCTACCCCGAAAACCGTTTT  
CTTCATCGCCCCGAGGTAGACATGATCCCCCATCTGAACTCAAAGCGTGGGAAATGCAAATCTGTGAGGGTAACTACGCCCTGGGCGGATGG  
AACCATTATACCGCAGTCTGGCACCTCCGCCCCGCTTTGTAAAAATGGCCTATGACGATCTCATCTGGAACACAACATGACGTTAGTGATCCC  
AGAAATATCTTCGCCAGGCGCCGCCCGTGGGCCATTGCCATCATTATGGACGAATGCATGGAAAATCTGGAGGTCACAAGGGCGTCTCAAAG  
TTCTTCCACGCATTTCTTCTAAGCTACATGACAAAATTTCCAAAGTGACCCGATACACTGTGCTGGTGGTTCTGCACAACATGAATCCCGGAGGG  
ATATGGCTGGGAACATAGCCAACCTAAAAATACAGTCCAAGATGCATCTCATATCCCCAGTATGCACCCATCCCAGCTTAAACCGTTTTGTAAACAC  
TTACACCAAGGGCCTGCCCTGGCAATCAGCTTGCTACTGAAAGACATTTTTAGGCACCACGCCAGCGCTCCTGCTACGACTGGATCATCTACAAC  
ACCACCCCGCAGCATGAAGCTCTGCAGTGGTGTACCTCACCCAGAGACGGCTTATGCCATGTATCTGAACATCCAGAGTCACCTTTACCACG  
TCCTGAAAAAATACACAGGACCCTCAACGACCGAGACCGCTGGTCCCGGGCTACCGCGCGCGAAAACCCCTAAATAAAGACAGCAAGACT  
TGCTTGATCAAATCCAAACAGAGTCTGGTTTTTTATTTATGTTTTAAACCGCATTGGGAGGGGAGGAAGCCTTACAGGCAGAAACCTGCTGGCGC  
AGATCCAACAGCTGCTGAGAAACGACATTAAGTTCCCGGGTCAAAGAATCCAATTGTGCCAAAAGAGCCGTCAACTTGTATCGCGGGCGGATGA  
ACGGGAAGCTGCACTGCTTGAAGCGGGCTCAGGAAAGCAAAGTCAGTCACAATCCCGCGGGCGGTGGCTGCAGCGGCTGAAGCGGCGGCGGA  
GGCTGCAGTCTCAAACGGGCTTCCAGACACGGTCTCGTAGGTCAAAGGTAGTAGAGTTTGGCGGACAGGACGGGGCGACCATCAATGCTGGAGCCC  
ATCACATTCTGACGCACCCCGGCCATGGGGCATGCGGTTGTCAAATATGAGCTCACAATGCTTCCATCAAACGAGTTGGTGTCTATGGCGGCG  
GCGGCTGCTGCAAAACAGATACAAAACCTACATAAGACCCCCACCTTATATATTCTTCCACCCTTAAAGCCACGCCACACATTTCACTACCTCAATC  
TGTATCTTATCGTAGAGCCAAACTCAGCGCGGGTGCAGGCCAGCACAAGTATCGGGCCTCAGCTCCTCGGTACATCCAGCATCACAGGCTG  
GTTCTAATATGTTTACCGCCACACTCGCAGGGTCTGCACCTGGTGCGGGTCTCATCGTACCTCAGCACCTTCCAGATCTGCCACCGCGGGGACTAG  
AGTCGACCTCATGGCTGCGCCCCGACACCCGCCAACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGATCCGCTTACAGACAAGCTGT  
GACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTACCGTCTATACCCGAAACGCGCGAGGCAGCCGGATCATAATCAGCCATACCACATTTGTAG  
AGGTTTTACTTGCTTTAAAAACCTCCACACCTCCCCcTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTGTTTATTGCAGCTTATA  
ATGGTTACAAATAAAGCAATAGCATCACAAATTCACAAATAAAGCATTTTTTTACTGCACTTAGTTGTGGTTTGTCAAACCTCATCAATGTATCTT  
ATCATGTCTGGATCTCCCCGCGGTGGCGGCCGCTCTAGAAGTGGATCCCCCGGGTGCAGGAATTCGATATCAAGCTTGGCCCATTGCATACG  
TTGTATCCATATCATAATATGTACATTTATATTGGCTCATGTCCAACATTACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATT  
ACGGGGTCAATTAGTTCATAGCCATATATGGAGTCCGCGTTACATAAATTACGGTAAATGGCCCCCTGGCTGACCGCCCAACGACCCCCGCCAT  
TGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGC  
AGTACATCAAGTGTATCATATGCCAAGTACGCCCTATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTATGCCAGTACATGACCTTATGG  
GACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGTATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTG  
ACTCACGGGGATTTCAAAGTCTCCACCCATTGACGTCAATGGGAGTTTGTGGTGGCACAAAATCAACGGGACTTTCAAAATGTCTGAACAACCTC  
CGCCCCATTGACGCAAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTGTAGTGAACCGTCAGATCGCTGGAGACGCC  
ATCCACGCTGTTTTGACCTCCATAGAAGACACCGACTCTAGAGGATCCCCTCGAGGGGCGAGAGCCGATCCTGTACACTTTACTTAAAACATTATCT  
GAGTGTGAAATGTCCAATTTACTGACCGTACACCAAAATTTGCCTGCATTACCGGTGATGCAACGAGTGTAGGTTTCGCAAGAACCTGATGGAC  
ATGTTACAGGGATCGCCAGGCGTTTTCTGAGCATACCTGGAAAATGCTTCTGTCCGTTTGCCGGTCTGGGCGGCATGGTGCAAGTTGAATAACCGG  
AAATGGTTTCCCGCAGAACCTGAAGATGTTCCGATTATCTTCTATATCTTCAAGCGCGCGGTCTGGCAGTAAAAACTATCCAGCAACATTTGGGCC  
AGCTAAACATGCTTCATCGTCCGGTCCGGGCTGCCACGACCAAGTACAGCAATGCTGTTTCACTGTTATGCGGCGGATCCGAAAAGAAAACGTTG  
ATGCCGGTGAACGTGCAAAACAGGCTCTAGCGTTGCAACGCACTGATTTGACCCAGGTTTCGTTCACTCATGAAAATAGCGATCGCTGCCAGGATA  
TACGTAATCTGGCATTCTGGGGATTGCTTATAACACCCTGTTACGTATAGCCGAAATTGCCAGGATCAGGGTTAAAGATATCTCACGTAAGTACGCG  
TGGGAGAATGTTAATCCATATTGGCAGAACGAAAACGCTGGTTAGCACCGCAGGTGTAGAGAAGGCACTTAGCCTGGGGGTAACCTAACTGGTCTG  
AGCGATGGATTTCCGTCTCTGGTGTAGCTGATGATCCGAATAACTACCTGTTTTGCCGGTGCAGAAAAATGGTGTGCGCGCCATCTGCCACCA  
GCCAGCTATCAACTCGCGCCCTGGAAGGGATTTTTGAAGCAACTCATCGATTGATTTACGCGCCTAAGGATGACTCTGGTCAAGATACCTGGCCT  
GGTCTGGACACAGTGCCCGTGTGCGAGCCGCGGAGATATGGCCCGCTGGAGTTTCAATACCGGAGATCATGCAAGCTGGTGGCTGGACCAAT  
GTAAATATTGTATGAACATATCCGTAACCTGGATAGTGAACAGGGGCAATGGTGCCTGCTGGAAGATGGCGATTAGCCATTAACCGGTAA  
ATGATTGCTATAATTATTTGATTTATGGTGACATATGAGAAAGGATTTCAACATCGACGGAAAATATGTAGTGTCTGTGTAAGCACTAATATTC  
AGTCGCCAGCCGTATTGCTACTGTAAAGCTGAGCGATAGAATGCCTGATATTGACTCAATATCCGTTGCGTTTCTGTCAAAAAGTATGCGTAGTGC

TGAACATTTCTGTGATGAATGCCACCGAGGAAGAAGCACGGCGGGTTTTGCTAAAGTGATGTCTGAGTTTGGCGAACTCTTGGGTAAGGTTGGAA  
TTGT**CGAGGGATCTCGGAATGGACCCCAACTGCTCCTGCTCCACCGGTAAGACTCCCGATCCTTGGTCTTTAGAATACCAAGTTGGGACCGCAGAG**  
**CGGAATCCCGAGTTGTAGAGGCTTGGCGGGAATAGGCACCTTAGTTGGCGATTATTCCGGTTCTTTCTAGAATCCGCTCTTGCAAAAGCCTTCA**  
**TTAGTTACGAGTATTGTCGAACGGGTCTTTGGCGGGTTGGGGCTAGGATTTAGACGCGCAAATGTCCGGTTCTGATCACCCAGTTAGTGGGGA**  
**CATCTGGGTTGAGTCCCAGGCATTACTAACTTACTGTGAATTGCTTGAATTAAGAAAGAGGTGAAGGACCTTTATGTCTTGGGACTCAAAGACAT**  
**AATCCCTGACTTAACCTGTGAGGAGAAAAGTGGGGCTAGGCTCCCTGCAGCTCCGAGGAGGACTTAGTGAAGTGAAGCCGGGACTCGTGGTGTGG**  
**CCACTGCTGTAATGCTGCCTCCCTCATGCTGTCTTTCTCCTCCCCAGGCGGCTCCTGCACCTGCACCAGCTCCTGCGCCTGCAAGAAGTGAAGT**  
**GCACCTCTGCAAGAAGAGTGAGTTGGGACACCTGGGTGGCGGCTAAGGCTAGGGGCGGGGAACTCCTACAAAAGTGGCTCTGAGAAATGTCTT**  
**TTGCTTCCCGAGGGCCATTGTATTGTCTCGGGGACAGAAGTATACAGAGAAGTATTTAAAAAACCGAGGTCTTCTGTTGGGGACAGGAAGCAG**  
**AGGTCTCAGCCAGGCTGACCTCTTCTCCTCTTTCTAGGCTGCTGCTCCTGCTGTCCCGTGGGCTGCTCCAAATGTGCCAGGGCTGTGTCTGCAA**  
**AGGCGCCGCGGACAAGTGCACGTGCTGTGCCTGATGTGACGAACAGCGCTGCCACCACGTGTAATAGTATCGGACCAACCCAGCGTCTTCTATA**  
**CAGTTCCACCCTGTTTACTAAACCCCGTTTTCTACCGAGTACGTGAATAATAAAAGCCTGTTTGAAGTCTAACTCTGGTTTTCTGGTGTGGTTTGGC**  
**AATAAGAAAGTGGGGTGACTTGATAGTCTGGGGATCTGGTTTTGGACCCCTCGTGCCTTTACCTCCCGCTCTGGCCCTCACAGAGGGGTAATGTC**  
**TTGGGTAAAGCCAAGCTATCCATAAGCTTATCGATACCGTGCACCTCGAGGTACCGGATCTCCCTAGACAAATATTACGCGCTATGAGTAACACA**  
**AAATTATTAGATTCACTTCTTATTAGTTTTCCCGGAAAATGGCCAACTTACTCGGTTACGCCAAATTTACTACAACATCCGCCTAAAAAC**  
**CGCGGAAAATTGCACTTCTGTGTACACCGGCGCACACCAAAAACGTCACTTTTGCACATCCGTCGTTACATGTGTTCCGCCACACTTGCAACA**  
**TCACACTTCCGCCACACTACTACGTACCCCGCCCGTTCCACGCCCCGCGCCACGTACAAAACCTCACCCCTCATTATCATATTGGCTTCAATCCAA**  
**AATAAGGTATATTATTGATGATGCTAGCGAATTCTT**

### **Vector Bio-safety Information**

At the University of Iowa, all varieties of viral vectors produced at the Viral Vector Core are required to be handled at Biosafety Level 2 (BSL2). In animal studies, adenoviral vectors require ABL2 containment. Please check with your institution's Biosafety Officer to confirm local requirements

### **Adenovirus Background:**

Adenoviruses are very important tool in basic research. They are used to identify proteins role in different biological processes both *in vivo* and *in vitro*. Virus construction is performed using the RapAd™ System developed by the University of Iowa GTVC (For description, refer to the article "[A simple method for the rapid generation of recombinant adenovirus vectors](#)" published in [Gene Therapy 7:1034-1038, 2000](#)).


Adenovirus vectors prepared in the core are E1 and E3 deleted. They have a total E1a deletion (\*m.u 1.4 to 4.5) plus a partial E1b deletion (\*m.u. 4.7 to 9.2). These deletions are what make the vector replication deficient. They also have a partial E3 deletion, 720bp for the sub360 backbone, a 1.6Kb deletion for the dl309 backbone and a 3.1Kb deletion for the total E3 deleted backbone.

\*m.u = Map units (1 m.u = 360bp)

### Characteristics:

- Episomal gene expression.
- Infects dividing and non-dividing cells.
- Transient high-level protein expression.
- Accommodates inserts of up to 7.5kb. Larger inserts can be added, provided that an equivalent part of the viral genome has been properly deleted.
- High viral titer can be produced, 1E+10 to 5E+10pfu/ml (1E+12pt/ml) to 8E+10 to 1E+11/ml (1E+13pt/ml).

## Adenovirus Construction RapAd™ System



### Disadvantages and adverse effects:

- Elicits host immune response, thus depleting the number of transduced cells *in-vivo*.
- Viral particles can be neutralized by the host immune response.
- Short-term expression of the transgene due to lack of integration into the host genome.

### Recombination:

The recombinant adenoviruses can revert to wild type during virus production, thus packaging replication competent particles (RCA). For this reason, each new lot produced at the core is tested for the presence of RCA by immuno-staining.

### References:

- **RapAd™ System:** Anderson RD, Haskell RE, Xia H, Roessler BJ, Davidson BL. *"A simple method for the rapid generation of recombinant adenovirus vectors"*. Gene Ther. 2000 Jun;7(12):1034-8

- **A195 Buffer:** [Evans RK](#), [Nawrocki DK](#), [Isopi LA](#), [Williams DM](#), [Casimiro DR](#), [Chin S](#), [Chen M](#), [Zhu DM](#), [Shiver JW](#), [Volkin DB](#). *Development of stable liquid formulations for adenovirus-based vaccines.* [J Pharm Sci.](#) 2004 Oct;93(10):2458-7

**Contact Information:**

**Viral Vector Core**

University of Iowa  
500 Newton Road  
221 Eckstein Medical Research Building  
Iowa City, IA 52242  
Tel: (319) 335-6726  
vectors@uiowa.edu

## Specific Information on VVC-U of Iowa-5 Ad5CMVCre vector and plasmid G0166 pAd5CMVCreMT1pA

**Background on Cre Recombinase**

This plasmid and vector express the Cre recombinase protein. This protein is derived from the P1 bacteriophage and belongs to the integrase family of site-specific recombinases. It recognizes 34bp sequences known as *loxP* sites, shown below.

**13bp**                      **8bp**                      **13bp**  
ATAACTTCGTATA - NNNTANNN -TATACGAAGTTAT

Variations of the “N” base pairs allows multiple, specific *loxP* sites to be used at the same time. Depending on how the *loxP* sites are set up, the gene of interest can be turned off, turned on, or integrated into other sections of DNA.

The VVC tests for the presence and activity of Cre recombinase using the Flex-reporter system. This system uses a reporter in the reverse orientation flanked by two separate and different pairs of *loxP* sites. When infected or transfected with virus or plasmid with this cassette will not express the reporter gene under normal circumstances, but will express when exposed to Cre recombinase.

For more information on Cre recombinase please see [Cre recombinase: the universal reagent for genome tailoring](#).

**Background on Virus production**

The virus was made with our pacAd5(9.2-100)sub360 viral backbone. This backbone has a fully deleted E1a protein, a partially deleted E1b protein, and a partially deleted E3 protein to make the virus replication deficient. All of our Ad5CMVCre vector preparations are purified by double CsCl protocol and dialyzed and stored in our A-195 buffer. All preparations are titered on HEK 293 cells using the Clonetech Adeno-X titer kits and also tested for replication competent particles (RCA). All preparations are also tested for activity and presence of Cre recombinase protein on A549 cells.

**Bacterial Backbone:**

The bacterial backbone is derived from pBR322 plasmid.

**Antibiotic Resistance:**

The adenovirus plasmids are ampicillin resistant. We recommend using an ampicillin concentration of 100ug/ml of media.

**E. coli Competent Cell Recommendations:**

We recommend using DH5a cells to grow the adenovirus plasmids.

Updated 12/17/21 SJS